



---

MICROSOFT

**AZ-400**

**Designing and Implementing Microsoft DevOps Solutions  
(AZ-400) Exam Questions & Answers**

---

Total Questions: **05**

[Click Here to Get All Microsoft Exam Questions →](#)

<https://itexamsquiz.com/product/az-400-practice-tests/>

## About ITExamsQuiz

At ITExamsQuiz, we believe every IT professional deserves access to high-quality exam preparation without breaking the bank. Our expert team curates accurate, up-to-date study material for a wide range of certification exams.

With ITExamsQuiz you get expert-vetted study material, real exam insights, and a fair shot at success.

- ✓ **Lifetime Free Updates**
- ✓ **Money-Back Guarantee**
- ✓ **100% Verified Questions**
- ✓ **24/7 Support via Email**

### Doubt Support

We resolve 400+ doubts every day with an average rating of 4.8/5.

<https://itexamsquiz.com>

✉ [support@itexamsquiz.com](mailto:support@itexamsquiz.com)

★ ★ ★ ★ ★ **Logan**

I passed with 920/1000! More than 45 questions were from your PDFs. Highly recommended!

★ ★ ★ ★ ★ **Hailey**

Updated material and correct answers. Passed AZ-900 on first attempt. Thank you ITExamsQuiz!

★ ★ ★ ★ ★ **Brandon**

Amazing accuracy. Out of 52 questions, 50 were from your dumps. Passed with 870 marks!

★ ★ ★ ★ ★ **Madison**

Customer support is very responsive. The PDFs are super accurate. Will recommend to friends!

Question: 1

ITExamsQuiz

HOTSPOT

How should you complete the code to initialize App Center in the mobile application? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection a worth one point.

```
MSAppCenter.start
( "{Your App Secret}",
  withServices:
)
```

[MSAnalytics.self, [MSDistribute.self, [MSPush.self,
--

MSAnalytics.self] MSCrashes.self] MSDistribute.self]
--

**Answer:**

```
MSAppCenter.start
( "{Your App Secret}",
  withServices:
)
```

[MSAnalytics.self, [MSDistribute.self, [MSPush.self,
--

MSAnalytics.self] MSCrashes.self] MSDistribute.self]
--

**Explanation:**

Scenario: Visual Studio App Center must be used to centralize the reporting of mobile application crashes and device types in use.

In order to use App Center, you need to opt in to the service(s) that you want to use, meaning by default no services are started and you will have to explicitly call each of them when starting the SDK.

Insert the following line to start the SDK in your app's AppDelegate class in the didFinishLaunchingWithOptions method.

```
MSAppCenter.start("{Your App Secret}", withServices: [MSAnalytics.self, MSCrashes.self])
```

**Question: 2**

**HOTSPOT**

How should you confrene the release retention policy for the investment planning depletions suite?  
To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Required secrets:

Certificate
Personal access token
Shared Access Authorization token
Username and password

Storage location:

Azure Data Lake
Azure Key Vault
Azure Storage with HTTP access
Azure Storage with HTTPS access

**Answer:**

Required secrets:

Certificate
Personal access token
Shared Access Authorization token
Username and password

Storage location:

Azure Data Lake
Azure Key Vault
Azure Storage with HTTP access
Azure Storage with HTTPS access

✓ **Answer: A**

**Explanation:**

Every request made against a storage service must be authorized, unless the request is for a blob or container resource that has been made available for public or signed access. One option for authorizing a request is by using Shared Key.

Scenario: The mobile applications must be able to call the share pricing service of the existing retirement fund management system. Until the system is upgraded, the service will only support basic authentication over HTTPS.

The investment planning applications suite will include one multi-tier web application and two iOS mobile application. One mobile application will be used by employees; the other will be used by customers

## HOTSPOT

You need to configure a cloud service to store the secrets required by the mobile applications to call the share.

What should you include in the solution? To answer, select the appropriate options in the answer area», NOTE: Each correct selection is worth one point.

Required secrets:

Certificate
Personal access token
Shared Access Authorization token
Username and password

Storage location:

Azure Data Lake
Azure Key Vault
Azure Storage with HTTP access
Azure Storage with HTTPS access

**Answer:**

Required secrets:

Certificate
Personal access token
Shared Access Authorization token
Username and password

Storage location:

Azure Data Lake
Azure Key Vault
Azure Storage with HTTP access
Azure Storage with HTTPS access

**Explanation:**

Every request made against a storage service must be authorized, unless the request is for a blob or container resource that has been made available for public or signed access. One option for authorizing a request is by using Shared Key.

Scenario: The mobile applications must be able to call the share pricing service of the existing retirement fund management system. Until the system is upgraded, the service will only support basic authentication over HTTPS.

The investment planning applications suite will include one multi-tier web application and two iOS mobile application. One mobile application will be used by employees; the other will be used by customers

**Question: 4**

ITExamsQuiz

To resolve the current technical issue, what should you do to the Register-AzureRmAutomationDscNode command?

- A. Change the value of the ConfigurationMode parameter.
- B. Replace the Register-AzureRmAutomationDscNode cmdlet with Register-AzureRmAutomationScheduledRunbook
- C. Add the AllowModuleOverwrite parameter.
- D. Add the DefaultProfile parameter.

✓ **Answer: A**

**Explanation:**

Change the ConfigurationMode parameter from ApplyOnly to ApplyAndAutocorrect. The Register-AzureRmAutomationDscNode cmdlet registers an Azure virtual machine as an APS Desired State Configuration (DSC) node in an Azure Automation account.

Scenario: Current Technical Issue

The test servers are configured correctly when first deployed, but they experience configuration drift over time. Azure Automation State Configuration fails to correct the configurations.

Azure Automation State Configuration nodes are registered by using the following command

```
Register-AzureRmAutomationDscNode
  -ResourceGroupName 'TestResourceGroup'
  -AutomationAccountName 'LitwareAutomationAccount'
  -AzureVMName $vmname
  -ConfigurationMode 'ApplyOnly'
```

**Question: 5**

ITExamsQuiz

What should you use to implement the code quality restriction on the release pipeline for the

investment planning applications suite?

- A. a trigger
- B. a pre deployment approval
- C. a post-deployment approval
- D. a deployment gate

✓ **Answer: D**

**Explanation:**

A deployment gate is used to enforce quality checks before the release moves to the next stage. It can automatically verify conditions like no active bugs, test pass rate, code coverage, or policy compliance. If the quality rules fail, deployment stops.

**Thank you for trying the AZ-400 Exam Dumps PDF Demo**

**Practice smarter with our updated AZ-400 PDF Questions**

If you want to buy our premium Practice Questions, please follow the link below and get started now!

<https://itexamsquiz.com/product/az-400-practice-tests/>